



# Fairline Phantom 48

£439,950 • Torquay United Kingdom (UK) • Used • 2009

## Presented by

Justin Garwell  
Phone: +44 (0) 1305 766504

**JD YACHTS LIMITED**  
80 THE ESPLANADE  
DT4 7AA WEYMOUTH  
United Kingdom (UK)




## Details

Make:	Fairline
Model:	Phantom 48
Year:	2009
Condition:	Used
Engine:	Volvo Penta D9-575 EVC, 575 hp
Engine type:	
Fuel type:	Diesel
Length:	15.25 m (50.03 ft)
Beam:	4.46 m (14.63 ft)
Cabins:	0
Berths:	0



JD YACHTS  
LIMITED



7zea.com

# Description

ENG  
2009. 2 x 575 HP Volvo Penta D9-575 EVC  
6 berths in 3 cabins plus crew  
Lying: Torquay UK  
Owners Comments:  
Antifouled and polished - January 2024

New anodes - January 2024

Engines Serviced - November 2023

Generator Serviced - November 2023

ENG  
Extras

Air Conditioning Throughout  
Blue Mood Lights to Cockpit  
Dockmate 'Twist' Proportional System (New 2021)  
Flybridge Bimini  
Flybridge Wetbar with Grill, Sink & Fridge  
Hydraulic Passarelle  
JVC Sound System  
Mastervolt Inverter  
Onan Generator 7Kva  
Raymarine AIS 700 (New 2021)  
Raymarine Axiom Pro 12 Multifunction 12" Display to Both Helms (New 2021)  
Raymarine DST810 0 Degree Depth, Speed, Temperature Transduced (New 2021)  
Raymarine Evolution Authpilot (New 2021)  
Raymarine i70 Multifunction Colour Displays to Both Helms (New 2021)  
Raymarine Quantum 18" Radar (New 2021)  
Satellite TV  
Sharp Combi Microwave  
SidePower Propotional Bow Thruster 120kg (New 2021)  
SidePower Propotional Stern Thruster 100kg (New 2021)  
Silent Electric Flush toilets  
Solid Oak Flooring in Saloon  
Teak Laid Bathing Platform  
Teak Laid Cockpit  
Teak Laid Flybridge  
Upgraded Domestic 88L Cool Box & Freezer (New 2021)  
Washer/ Dryer

Standard Specification

Hullform And Construction

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings  
Deep 'V' forward; 18° deadrise aft  
Design, layout and detailing by the Fairline Design Team.  
Naval architecture and structural engineering by Bernard Olesinski  
Full length moulded spray deflectors  
Hull/deck join bolted and bonded  
Integrally moulded engine bearers  
Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat  
The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation  
The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings  
The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle

Transverse and longitudinal strengthening stringers throughout hull

Deck

Anchor chain locker  
Anchor winch (electric)  
Anchor winch controls  
Calibrated anchor chain  
External covers to windscreen  
Full set of IMCO navigation lights  
Hot and cold water transom shower  
Moulded non-slip deck surface  
Recessed self-draining area on foredeck for coachroof sun cushions  
Riding light  
Rubbing strake  
Self-stowing through-hull Delta® anchor  
Stainless steel bow, spring and stern cleats  
Stainless steel bow fairlead(s)  
Stainless steel grab rail(s) on each transom wing  
Stainless steel handrails  
Stainless steel hull protection plate under bow  
Stainless steel pulpit  
Teak laid bathing platform  
Telescopic boarding ladder to bathing platform  
Toughened glass curved windscreen  
Transom gate from cockpit to integral bathing platform  
Twin horns  
Water filler(s)  
Windscreen washers  
Windscreen wipers

Flybridge And Second Helm Position

12v heavy duty weatherproof socket  
Access hatch  
Acrylic dodgers  
Adjustable/tilt steering wheel  
Adjustable bolstered helm seating  
Bilge pump warning lights and audible alarms  
Bowthruster controls  
Companion seating to helm  
Drinks holders  
Echosounder and speedometer/distance log repeater(s) with sea water temperature read out  
Electronic single-lever throttle and gear controls for port and starboard engines  
Flybridge bar with sink and refrigerator  
Helm position indicator  
High speed magnetic compass  
Instrument covers  
Moulded non-slip deck surface  
Powered steering  
Remote anchor winch controls  
Remote control searchlight with controls at both helm stations  
Repeat autopilot controls  
Repeat engine bay fire extinguisher controls  
Repeat flybridge engine instrumentation, controls and electronics  
Stainless steel handrails  
Teak laid oversize flybridge steps  
Trim tab controls  
Upholstered seating area with table, convertible to cushioned sunbathing area  
VHF radio telephone incorporating intercom  
Wind-deflecting screen with grab rail

Aft Cockpit/transom

12v heavy duty weatherproof socket  
Access hatch to engine room

Aft cockpit enclosure covers  
Bathing platform lights  
Cockpit lights  
Dedicated aft cabin access separate from cushioned rear seating  
Emergency fuel shut-off valves  
Engine bay access hatch with stainless steel pneumatic support struts  
Engine bay fire extinguisher control  
Manual bilge pump(s)  
Stainless steel framed sliding door to main saloon  
Teak laid floor throughout self-draining cockpit  
Warp lockers

#### Main Helm Position

12v socket  
Adjustable/tilt steering wheel  
Adjustable air vents  
Autopilot  
Bilge pump switches with integral operating warning lights and audible alarms  
Bolstered helm seat(s)  
Bowthruster controls  
Controls for engine bay fire extinguisher system  
Electronic single-lever throttle and gear controls for port and starboard engines  
Folding foot plinth  
Fuel gauges  
Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, battery condition indicators, audible alarms and engine hour meters  
Helm position indicator  
High speed magnetic compass  
Mood lighting  
Opening side window (manual)  
Powered steering  
Red night-light illumination to helm  
Remote anchor winch controls  
Searchlight controls  
Switches for navigation and riding lights, windscreen wipers and engine bay extractor fans  
Trim tab controls

#### Main Saloon

Aerial and connections for television  
Cocktail table converts electrically to dining table  
Freestanding 2 seat sofa  
Full-height standing headroom  
Halogen ceiling lights  
Handrail  
Sideboard to port housing LCD TV, DVD/CD/Radio and optional refrigerator  
Sofa

#### Galley

Crockery stowage in sideboard  
Electric ceramic/halogen hob  
Extractor fan  
Foundations® work surface with covers  
Halogen ceiling lights  
Integrated waste bin  
Lacquered cupboard doors  
Microwave oven  
Refrigerator with integral icebox with automatic 24v/240v changeover  
Sink with hot and cold mixer tap  
Underfloor stowage hold or optional freezer  
Work surface lights

#### Master Stateroom

Access to AC/DC distribution panel  
Access to en suite bathroom

Drawers to starboard with optional LCD television  
Full-height standing headroom  
Full width master stateroom with triple portrait feature windows - port and starboard  
Halogen ceiling lights  
Mirror  
Oversized double bed  
Reading lights  
Twin bedside tables  
Upholstered bedhead  
Wardrobe(s)

#### Master En Suite Bathroom

220v/240v shaving point  
Automatic shower tray pump-out system  
Electric silent-flush freshwater toilet  
Extractor fan  
Avonite® vanity unit locker and basin with hot and cold pressurised water  
Full set of bathroom fittings  
Full standing height shower with solid teak gratings and hinged door  
Halogen ceiling lights  
Lockers (overhead)  
Mirror  
Stainless steel opening porthole(s) with flyscreen

#### Forward Stateroom

Access to en suite bathroom  
Bedside stowage  
Drawer(s) under bed with integrated linen box  
Halogen ceiling lights  
Large hatch(es) with flyscreen and concealed blinds to foredeck  
Lockers (overhead)  
Mirror  
Oversized double bed  
Reading lights  
Stainless steel opening porthole(s) with flyscreen  
Wardrobe(s)

#### Starboard Guest Cabin

Bedside stowage  
Full length pullman berths to upper and lower bunks to provide maximum cabin flexibility  
Halogen ceiling lights  
Mirror  
Reading lights  
Stainless steel opening porthole(s) with flyscreen  
Wardrobe(s)

#### Shower/ Head Compartments

220v/240v shaving point  
Automatic shower tray pump-out system  
Electric silent-flush freshwater toilet  
Extractor fan  
Foundations® or Avonite® vanity unit locker and basin with hot and cold pressurised water  
Full set of bathroom fittings  
Full standing height shower with solid teak gratings and hinged door  
Halogen ceiling lights  
Lockers (overhead)  
Mirror  
Stainless steel opening porthole(s) with flyscreen

#### Electrical Systems

All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel  
Battery isolating switches  
Heavy duty circuit breakers

Isolating switches to all batteries  
Onan generator 7kVA  
24 Volt:  
Batteries - 2 x 180Ah 'sealed for life' for domestic supply  
Batteries - 4 x 180Ah 'sealed for life' for engine starting  
240 Volt:  
Polarity check and earth leakage protection system  
Regulated battery charger 100amp for all batteries  
Shore power supply

Engines And Sterngear

Access through cockpit hatch  
Aerodynamically designed engine air intakes  
Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override  
Automatic engine bay fire extinguisher system  
Balanced rudders  
Cathodic protection  
Dripless shaft seals  
Electric engine bay fan(s)  
Electric trim tabs with cathodic protection  
Engine bay lights  
Engine room soundproofing  
Exhaust overheat warning system  
High capacity emergency manual bilge pump system with changeover valves  
High corrosion-resistant TEMET shafts  
Manganese bronze 'P' brackets  
Manganese bronze propellers contra-rotating  
Sea cocks on all inlets/outlets below waterline  
Water cooled through-hull engine silencers

Fuel System

Changeover valve system to permit each engine to draw fuel from, and return fuel to, either tank  
Emergency fuel shut-off valves accessible via cable-operated remote control  
Fuel filler splash stop and anti-foaming device  
High capacity water separators and fuel filters  
Individual fillers and vents to port and starboard  
Marine grade alloy fuel tanks x 2

Freshwater System

Automatic, pressurised supply  
Calorifier hot water system  
Water tank(s)

General information

Make:	Fairline
Model:	Phantom 48
Year:	2009
Condition:	Used

Engine

Engine:	Volvo Penta D9-575 EVC, 575 hp
Engine type:	
Fuel type:	Diesel

Measurements

Length:	15.25 m (50.03 ft)
Beam:	4.46 m (14.63 ft)
Deep:	1.12 m (3.67 ft)
Weight:	15600 ( )

Accommodation

Cabins:	0
Berths:	0





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts




Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts




Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts




Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts




Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts




Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts





Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts

**JD YACHTS LIMITED**

80 THE ESPLANADE

DT4 7AA WEYMOUTH

United Kingdom (UK)

Phone: +44 (0) 1305 766504

<http://jdyachts.com>



 YACHTS.