



# Fairline Targa 47 GT

£279,950 • Lymington United Kingdom (UK) • Used • 2008

## Presented by

Justin Garwell  
Phone: +44 (0) 1305 766504

### JD YACHTS LIMITED

80 THE ESPLANADE  
DT4 7AA WEYMOUTH  
United Kingdom (UK)




## Details

|              |                    |
|--------------|--------------------|
| Make:        | Fairline           |
| Model:       | Targa 47 GT        |
| Year:        | 2008               |
| Condition:   | Used               |
| Engine:      | Volvo D9, 575 hp   |
| Engine type: |                    |
| Fuel type:   | Diesel             |
| Length:      | 14.78 m (48.49 ft) |
| Beam:        | 3 m (9.84 ft)      |
| Cabins:      | 0                  |
| Berths:      | 0                  |



JD YACHTS  
LIMITED



7zea.com

# Description

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ENG<br>2008. 2 x 575 HP Volvo D9<br>6 berths in 2 cabins<br>Lying: Lymington UK<br>Owners Comments:<br>Engines serviced March 2024.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Aft cockpit hood with clear panels and zipped doorway<br>Bathing platform lights<br>Central dining area<br>Cockpit bar with teak top, refrigerator, sink, hot and cold water, insulated coolbox<br>Companion seating to helm<br>Drinks holders<br>Engine bay access hatch with stainless steel pneumatic support struts, independent of the tender garage<br>Fender stowage<br>Glove locker<br>Life raft stowage<br>Manual bilge pump(s)<br>Retractable powered hard top<br>'Reticulated' non-absorbent foam cushions for aft sundeck<br>Stainless steel handrails<br>Stowage lockers under cockpit seats<br>Teak drinks holders<br>Teak-laid floor throughout self-draining cockpit<br>Warning light and audible alarm during garage door operation<br>Warp lockers                                                                                                                                                                    |
| ENG<br>Extras<br><br>Onan 8 Kva Generator<br>Air Conditioning<br>Webasto Diesel Heating with Outlet Feeds to Main Cabins<br>Additional Webasto Diesel Heating with Outlet Feeds to Cockpit Area<br>SidePower Bow Thruster<br>SidePower Stern Thruster<br>NEW Camper Covers inc. Bespoke Bimini Cover for Aft Bathing Area<br>Bespoke Additional Canopy Enclosure Option<br>Raymarine e127 HybridTouch MFD<br>Raymarine HD Color Raydome<br>Raymarine pSeries Autopilot<br>Raymarine iSeries MFD<br>Raymarine Raydome<br>Raymarine TracVision. Additional Dummy Dome<br>AIS<br>Teak Laid Bathing Platform<br>Teak Laid Cockpit<br>Light American Satin Oak Interior Wood Finish<br>Holding tank<br>Cockpit Wetbar inc Griddle, Fridge<br>Additional Grab Rails to Roof Sections Alongside<br>Hydraulic Passarelle<br>Upgraded Stereo and Fusion Speakers<br>Samsung Smart TV's | Deck<br><br>Anchor chain locker<br>Anchor winch (electric)<br>Anchor winch controls<br>Calibrated anchor chain<br>Concealed telescopic swim ladder to bathing platform<br>Full set of IMCO navigation lights<br>Garage with winch system for concealed stowage of optional Jet RIB or PWC beneath aft sundeck<br>Hot and cold water transom shower<br>Moulded non-slip deck surface<br>Rubbing strake<br>Recessed self-draining area on foredeck for coachroof sun cushions<br>Remote control searchlight<br>Riding light<br>Self-stowing Delta anchor<br>Stainless steel bow fairlead(s)<br>Stainless steel bow, spring and stern cleats<br>Stainless steel handrails<br>Stainless steel stemhead roller<br>Storage in garage<br>Teak laid bathing platform<br>Toughened glass curved windscreen<br>Transom gate from cockpit to integral bathing platform<br>Twin horns<br>Water filler(s)<br>Windscreen washers<br>Windscreen wipers |
| Standard Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Electrical Systems                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Aft Cabin<br><br>Access to en suite bathroom<br>Bedside stowage<br>Full length berths x 2 with sliding conversion to double<br>Halogen ceiling lights<br>Mirror<br>Opening window to cockpit<br>Reading lights<br>Stainless steel opening porthole(s) with flyscreen<br>Upholstered bedheads<br>Wardrobe(s)<br>Aft Cabin En Suite Bathroom: 220v/240v shaving point<br>Automatic shower tray pump-out system<br>Electric silent-flush freshwater toilet<br>Extractor fan<br>Vanity unit locker and basin with hot and cold pressurised water<br>Full set of bathroom fittings<br>Full standing height circular shower with solid teak gratings and rotating screen<br>Mirror<br>Random teak floor<br>Stainless steel opening porthole(s) with flyscreen                                                                                                                       | All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel<br>Electrical sockets<br>Heavy duty circuit breakers Isolating switches to all batteries<br>Onan generator 7kVA<br>24 Volt: Batteries - 2 x 180Ah zero-maintenance 'AGM' for exclusive port engine starting<br>Batteries - 2 x 180Ah zero-maintenance 'AGM' for exclusive starboard engine starting<br>Batteries - 2 x 180Ah zero-maintenance 'AGM' for domestic services<br>Circuit breaker 100amp for anchor winch<br>Emergency battery coupling system permits each engine to start from opposite engine battery bank<br>240 Volt: Battery charger 50amp to domestic batteries with trickle charge to port and starboard engine-start batteries<br>Polarity check and earth leakage protection system                                                                                                        |
| Cockpit<br><br>12v heavy duty weatherproof socket<br>Access via transom deck to port and starboard side decks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

Power points throughout the boat (fed from shore power or generator)  
Shore power supply

#### Engines And Sterngear

Aerodynamically designed engine air intakes  
Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override  
Automatic engine bay fire extinguisher system  
Balanced rudders  
Cathodic protection  
Dripless shaft seals  
Electric engine bay fan(s)  
Electric trim tabs with cathodic protection  
Engine bay lights  
Engine room soundproofing  
Exhaust overheat warning system  
High capacity emergency manual bilge pump system with dedicated valves  
Manganese bronze 'P' brackets  
Manganese bronze propellers contra-rotating  
Sea cocks on all inlets/outlets below waterline  
Stainless steel alloy shafts  
Water cooled engine exhausts with silencers and side outlets  
Fuel System: Changeover valve system to permit each engine to draw fuel from, and return fuel to, either tank  
Emergency fuel shut-off valves accessible via cable-operated remote control  
High capacity water separators and fuel filters  
Individual fillers and vents to port and starboard  
Marine grade alloy fuel tanks x 2  
Freshwater System: Automatic, pressurised supply  
Calorifier hot water system  
Water tank(s)

#### Galley

Crockery stowage  
Electric ceramic/halogen hob  
Extractor fan  
Work surface with covers  
Halogen ceiling lights  
Integrated waste bin  
Lacquered cupboard doors  
Lockers (overhead)  
Microwave oven  
Refrigerator (172L)/freezer (46L) with double door  
Random teak floor  
Sink/drainage with hot and cold mixer tap  
Stainless steel opening porthole(s) with flyscreen  
Work surface lights

#### Helm Position

12v socket  
Adjustable/tilt steering wheel  
Bilge pump switches with integral operating warning lights and audible alarms  
Bolstered helm seat(s)  
Bowthruster controls  
Chart stowage  
Chart table and light  
Controls for engine bay fire extinguisher system  
Drinks holders  
Echosounder and speedometer/distance log repeater(s) with sea water temperature read out  
Electronic single-lever throttle and gear controls  
Folding foot plinth  
Fuel gauges  
Full engine instrumentation including tachometers, oil pressure gauges, temperature gauges, battery condition indicators, audible alarms and engine hour meters  
Helm position indicator  
High speed magnetic compass  
Hydraulic steering

Remote anchor winch controls  
Searchlight controls  
Trim tab controls  
Twin helm seats  
VHF radio telephone  
Waterproof switches for navigation and riding lights, windscreen wipers and engine bay extractor fan(s)

#### Hullform And Construction

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings  
Bowthruster 8hp  
Coloured hull top band  
Deep V forward; 18deg deadrise aft  
Designed by Bernard Olesinski and the Fairline design team  
Full length moulded spray deflectors  
Hull/deck join bolted and bonded  
Integrally moulded engine bearers  
Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat  
The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation  
The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings  
The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle  
Transverse and longitudinal strengthening stringers throughout hull

#### Main Saloon

Aerial and connections for television  
Bar unit  
CD/radio with 2 speakers in saloon and 2 waterproof speakers in cockpit  
Cocktail table converts to dining table  
Control panel for 12v/24v/240v domestic electrical circuits  
Deck hatch with flyscreen and blind  
Full-height standing headroom  
Halogen ceiling lights  
Handrail  
LCD TV  
Lockers (overhead)  
Sliding door to cockpit with integral blind system  
Sofa  
Stainless steel opening porthole(s) with flyscreen  
Stowage locker under floor

#### Master Cabin

Access to en suite bathroom  
Bedside stowage  
Drawer(s) under bed  
Full-height standing headroom  
Halogen ceiling lights  
Hanging locker (full-height)  
Large hatch with flyscreen and concealed blinds to foredeck  
Mirror  
Moulded stowage locker under hinged bedboard  
Oversized double bed  
Reading lights  
Stainless steel opening porthole(s) with flyscreen  
Upholstered bedhead  
Wardrobe(s)

#### Master En Suite Bathroom

220v/240v shaving point  
Automatic shower tray pump-out system  
Electric silent-flush freshwater toilet  
Extractor fan  
Vanity unit locker and basin  
with hot and cold pressurised water

Full set of bathroom fittings  
Full standing height circular shower with solid teak gratings and rotating screen  
Halogen ceiling lights  
Mirror  
Random teak floor  
Stainless steel opening porthole(s) with flyscreen

General information

|            |             |
|------------|-------------|
| Make:      | Fairline    |
| Model:     | Targa 47 GT |
| Year:      | 2008        |
| Condition: | Used        |

Engine

|              |                  |
|--------------|------------------|
| Engine:      | Volvo D9, 575 hp |
| Engine type: |                  |
| Fuel type:   | Diesel           |

Measurements

|         |                    |
|---------|--------------------|
| Length: | 14.78 m (48.49 ft) |
| Beam:   | 3 m (9.84 ft)      |
| Deep:   | 1.05 m (3.44 ft)   |
| Weight: | 13000 ()           |

Accommodation

|         |   |
|---------|---|
| Cabins: | 0 |
| Berths: | 0 |

Images



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts

**JD YACHTS LIMITED**

80 THE ESPLANADE

DT4 7AA WEYMOUTH

United Kingdom (UK)

Phone: +44 (0) 1305 766504

<http://jdyachts.com>



 YACHTS.